



Strip Eze

Revision: 2018-02-02

Version: 01.0

SECTION 1: Identification of the substance/mixture and supplier

1.1 Product identifier

Product name: Strip Eze

1.2 Recommended use and restrictions on use

Identified uses:

Floor stripper

Restrictions of use:

Uses other than those identified are not recommended

1.3 Details of the supplier

Diversey Australia Pty. Limited
29 Chifley St, Smithfield, NSW, 2164, Australia
Telephone: 1800 647 779 (toll free)
Fax: (02) 9725 5767
Email: aucustserv@diversey.com
Website: www.diversey.com/

1.4 Emergency telephone number

Call 1800 033 111 (24hrs)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Skin corrosion, Category 1B

2.2 Label elements



Signal word: Danger

Hazard statements:

H314 - Causes severe skin burns and eye damage.

Prevention statement(s):

P260 - Do not breathe vapours.
P264 - Wash face, hands and any exposed skin thoroughly after handling.
P280 - Wear protective gloves, protective clothing and eye or face protection.

Response statement(s):

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 - Immediately call a POISON CENTRE, doctor or physician.
P321 - Specific treatment (see supplemental first aid instructions on this label).
P363 - Wash contaminated clothing before reuse.

Storage statement(s):

P405 - Store locked up.

Disposal statement(s):

P501 - Dispose of unused content as chemical waste.

2.3 Other hazards

Strip Eze

SECTION 3: Composition/information on ingredients**3.1 Substances / Mixtures**

Ingredient(s)	CAS number	EC number	Weight percent
2-butoxyethanol	111-76-2	203-905-0	10-30
2-aminoethanol	141-43-5	205-483-3	3-10
disodium metasilicate	6834-92-0	229-912-9	3-10
tetrasodium ethylene diamine tetraacetate	64-02-8	200-573-9	1-3
sodium xylene sulphonate	1300-72-7	215-090-9	0.1-1

Non-hazardous ingredients are the remainder and add up to 100%.

* Polymer.

Workplace exposure limit(s), if available, are listed in subsection 8.1.

For the full text of the H and AUH phrases mentioned in this Section, see Section 16.

SECTION 4: First aid measures**4.1 Description of first aid measures**

Inhalation:	Remove person to fresh air and keep comfortable for breathing. Get medical attention or advice if you feel unwell.
Skin contact:	Take off immediately all contaminated clothing and wash it before re-use. Immediately call a POISON CENTRE, doctor or physician.
Eye contact:	Immediately rinse eyes cautiously with lukewarm water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or physician.
Ingestion:	Rinse mouth. Immediately drink 1 glass of water. Do NOT induce vomiting. Keep at rest. Immediately call a POISON CENTRE, doctor or physician.
Self-protection of first aider:	Consider personal protective equipment as indicated in subsection 8.2.
First aid facilities:	Shower and eyewash facilities should be considered in a workplace where necessary.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation:	No known effects or symptoms in normal use.
Skin contact:	Causes severe burns.
Eye contact:	Causes severe or permanent damage.
Ingestion:	Ingestion will lead to a strong caustic effect on mouth and throat and to the danger of perforation of oesophagus and stomach.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

Poison Information Center: Call 13 11 26 (Australia Wide).

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

5.4 Hazchem code

2X

2 - Fine water spray.

X - Liquid-tight chemical protective clothing and breathing apparatus. Contain.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation. Do not breathe dust or vapour. Wear suitable protective clothing, gloves and eye/face protection.

6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water. Dilute with plenty of water.

Strip Eze

6.3 Methods and material for containment and cleaning up

Use neutralising agent. Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust). Ensure adequate ventilation.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage**7.1 Precautions for safe handling****Measures to prevent fire and explosions:**

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash hands before breaks and at the end of workday. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Use personal protective equipment as required. Avoid contact with skin and eyes. Do not breathe vapours. Use only with adequate ventilation.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Keep only in original packaging. Store in a closed container. Store in a well-ventilated place. Keep cool.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Workplace exposure limits**

Air limit values, if available:

Ingredient(s)	Long term value(s) (TWA)	Short term value(s) (STEL)	Peak value(s)
2-butoxyethanol	20 ppm 96.9 mg/m ³	50 ppm 242 mg/m ³	
2-aminoethanol	3 ppm 7.5 mg/m ³	6 ppm 15 mg/m ³	

Biological limit values, if available:

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet.

If available, please refer to the product information sheet for application and handling instructions.

Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Appropriate engineering controls: No special requirements under normal use conditions.
Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

Personal protective equipment

Eye / face protection: Safety glasses or goggles (EN 166). The use of a full-face shield or other full-face protection is strongly recommended when handling open containers or if splashes may occur.

Hand protection: Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.
 Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: >= 480 min
 Material thickness: >= 0.7 mm
 Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: >= 30 min
 Material thickness: >= 0.4 mm
 In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.

Body protection: Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may occur (EN 14605).

Respiratory protection: Respiratory protection is not normally required. However, inhalation of vapour, spray, gas or aerosols should be avoided.

Environmental exposure controls: Should not reach sewage water or drainage ditch undiluted or unneutralised.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical State: Liquid

Colour: Clear, Colourless

Odour: Product specific

Odour threshold: Not applicable

pH: ≈ 13.5 (neat)

Melting point/freezing point (°C): Not determined

Initial boiling point and boiling range (°C): Not determined

Flash point (°C): > 93.3

Sustained combustion: Not applicable.

(UN Manual of Tests and Criteria, section 32, L.2)

Evaporation rate: Not determined

Flammability (solid, gas): Not determined

Upper/lower flammability limit (%): Not determined

Vapour pressure: Not determined

Vapour density: Not determined

Relative density: ≈ 1.06 (20 °C)

Solubility in / Miscibility with Water: Fully miscible

Partition coefficient: n-octanol/water No information available.

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Autoignition temperature: Not determined

Decomposition temperature: Not applicable.

Viscosity: Not determined

Explosive properties: Not explosive.

Oxidising properties: Not oxidising

Method / remark

Not relevant to classification of this product

closed cup

9.2 Other information

Surface tension (N/m): Not determined

Corrosion to metals: Not corrosive

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

Reacts with acids.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture data:.

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

ATE - Dermal (mg/kg): >2000

ATE - Inhalatory, mists (mg/l): >5

ATE - Inhalatory, vapours (mg/l): >20

Substance data, where relevant and available, are listed below:.

Acute toxicity

Acute oral toxicity

Ingredient(s)	Endpoint	Value	Species	Method	Exposure
---------------	----------	-------	---------	--------	----------

Strip Eze

		(mg/kg)			time (h)
2-butoxyethanol	LD ₅₀	1746	Rat	Method not given	
2-aminoethanol	LD ₅₀	1515	Rat	OECD 401 (EU B.1)	
disodium metasilicate	LD ₅₀	770 - 820	Mouse	Method not given	
tetrasodium ethylene diamine tetraacetate	LD ₅₀	>= 1780	Rat	Non guideline test	
sodium xylene sulphonate	LD ₅₀	> 7200	Rat	Method not given	

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
2-butoxyethanol	LD ₅₀	6411		Method not given	
2-aminoethanol	LD ₅₀	1025	Rabbit	Method not given	
disodium metasilicate		No data available			
tetrasodium ethylene diamine tetraacetate	LD ₅₀	> 5000	Rabbit	Method not given	
sodium xylene sulphonate	LD ₅₀	> 2000	Rabbit	Method not given	

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
2-butoxyethanol	LC ₅₀	> 2 (mist)	Rat	Method not given	4
2-aminoethanol		No mortality observed	Rat	Non guideline test	6
disodium metasilicate		No data available			
tetrasodium ethylene diamine tetraacetate	LC ₅₀	>= 1 (dust)	Rat	OECD 403 (EU B.2)	6
sodium xylene sulphonate	LC ₀	> 6.41 (mist)	Rat	Method not given	4

Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
2-butoxyethanol	Irritant	Rabbit	Method not given	
2-aminoethanol	Corrosive	Rabbit	OECD 404 (EU B.4)	
disodium metasilicate	Corrosive		Method not given	
tetrasodium ethylene diamine tetraacetate	Not irritant	Rabbit	Non guideline test	
sodium xylene sulphonate	Mild irritant	Rabbit	OECD 404 (EU B.4)	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
2-butoxyethanol	Irritant	Rabbit	OECD 405 (EU B.5)	
2-aminoethanol	Severe damage	Rabbit	OECD 405 (EU B.5)	
disodium metasilicate	Corrosive		Method not given	
tetrasodium ethylene diamine tetraacetate	Severe damage		Method not given	
sodium xylene sulphonate	Irritant	Rabbit	OECD 405 (EU B.5)	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
2-butoxyethanol	No data available			
2-aminoethanol	Irritating to respiratory tract		Method not given	
disodium metasilicate	No data available			
tetrasodium ethylene diamine tetraacetate	No data available			
sodium xylene sulphonate	No data available			

Sensitisation

Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
2-butoxyethanol	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
2-aminoethanol	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
disodium metasilicate	No data available			
tetrasodium ethylene diamine tetraacetate	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
sodium xylene sulphonate	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
2-butoxyethanol	No data available			
2-aminoethanol	No data available			

Strip Eze

disodium metasilicate	No data available		
tetrasodium ethylene diamine tetraacetate	No data available		
sodium xylene sulphonate	No data available		

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
2-butoxyethanol	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13)	No data available	
2-aminoethanol	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13) OECD 473 OECD 476 (Mouse lymphoma)	No evidence for mutagenicity, negative test results	OECD 474 (EU B.12)
disodium metasilicate	No data available		No data available	
tetrasodium ethylene diamine tetraacetate	No evidence for mutagenicity, negative test results	Method not given	No evidence of genotoxicity, negative test results	Method not given
sodium xylene sulphonate	No evidence for mutagenicity, negative test results	OECD 473	No evidence for mutagenicity, negative test results	OECD 474 (EU B.12)

Carcinogenicity

Ingredient(s)	Effect
2-butoxyethanol	No evidence for carcinogenicity, negative test results
2-aminoethanol	No evidence for carcinogenicity, weight-of-evidence
disodium metasilicate	No data available
tetrasodium ethylene diamine tetraacetate	No evidence for carcinogenicity, weight-of-evidence
sodium xylene sulphonate	No evidence for carcinogenicity, negative test results

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
2-butoxyethanol			No data available				
2-aminoethanol	NOAEL	Developmental toxicity	> 75	Rabbit	OECD 414 (EU B.31), oral	6 - 15 day(s)	No evidence for developmental toxicity No evidence for reproductive toxicity
disodium metasilicate			No data available				
tetrasodium ethylene diamine tetraacetate			No data available				No evidence for reproductive toxicity
sodium xylene sulphonate	NOAEL	Teratogenic effects	> 936	Rat	Non guideline test		

Repeated dose toxicity

Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
2-butoxyethanol		No data available				
2-aminoethanol	NOAEL	300	Rat		75	
disodium metasilicate	NOAEL	> 227 - 237	Rat	Method not given		
tetrasodium ethylene diamine tetraacetate		No data available				
sodium xylene sulphonate	NOAEL	763 - 3534	Rat	OECD 408 (EU B.26)	90	

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
2-butoxyethanol		No data available				
2-aminoethanol		No data available				
disodium metasilicate		No data available				
tetrasodium ethylene diamine tetraacetate		No data available				
sodium xylene sulphonate	NOAEL	> 440		OECD 411 (EU B.28)	90	

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
2-butoxyethanol		No data available				
2-aminoethanol		No data available				

Strip Eze

disodium metasilicate		No data available				
tetrasodium ethylene diamine tetraacetate		No data available				
sodium xylene sulphonate		No data available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
2-butoxyethanol			No data available					
2-aminoethanol			No data available					
disodium metasilicate			No data available					
tetrasodium ethylene diamine tetraacetate			No data available					
sodium xylene sulphonate	Oral		No data available	Rat	OECD 453 (EU B.33)	24 month(s)	No adverse effects observed	

STOT-single exposure

Ingredient(s)	Affected organ(s)
2-butoxyethanol	No data available
2-aminoethanol	No data available
disodium metasilicate	No data available
tetrasodium ethylene diamine tetraacetate	No data available
sodium xylene sulphonate	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
2-butoxyethanol	No data available
2-aminoethanol	No data available
disodium metasilicate	No data available
tetrasodium ethylene diamine tetraacetate	Not applicable
sodium xylene sulphonate	No data available

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3. If relevant, see section 9 for dynamic viscosity and relative density of the product.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
2-butoxyethanol	LC ₅₀	> 100	<i>Fish</i>	Method not given	96
2-aminoethanol	LC ₅₀	349	<i>Cyprinus carpio</i>	OECD 203 (EU C.1)	96
disodium metasilicate	LC ₅₀	210	<i>Brachydanio rerio</i>	Method not given	96
tetrasodium ethylene diamine tetraacetate	LC ₅₀	> 100	<i>Lepomis macrochirus</i>	OPP 72-1, static (EPA)	96
sodium xylene sulphonate	LC ₅₀	> 1000	<i>Fish</i>	EPA-OPPTS 850.1075	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
2-butoxyethanol	EC ₅₀	> 100	<i>Daphnia magna Straus</i>	Method not given	24
2-aminoethanol	EC ₅₀	65	<i>Daphnia magna Straus</i>	OECD 202, static	48
disodium metasilicate	EC ₅₀	1700	<i>Daphnia</i>	Method not given	48
tetrasodium ethylene diamine tetraacetate	EC ₅₀	> 100	<i>Daphnia magna Straus</i>	DIN 38412, Part 11	48
sodium xylene sulphonate	EC ₅₀	> 1000	<i>Daphnia</i>	EPA-OPPTS 850.1010	48

Strip Eze

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
2-butoxyethanol	EC ₅₀	> 100	<i>Not specified</i>	Method not given	168
2-aminoethanol	NOEC	1	<i>Pseudokirchneriella subcapitata</i>	OECD 201 (EU C.3)	72
disodium metasilicate	EC ₅₀	207	<i>Chlorella pyrenoidosa</i>	Method not given	72
tetrasodium ethylene diamine tetraacetate	EC ₅₀	> 100	<i>Scenedesmus obliquus</i>	88/302/EEC, Part C, static	72
sodium xylene sulphonate	EC ₅₀	> 230	<i>Not specified</i>	EPA OPPTS 850.5400	96

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
2-butoxyethanol		No data available			-
2-aminoethanol		No data available			-
disodium metasilicate		No data available			-
tetrasodium ethylene diamine tetraacetate		No data available			-
sodium xylene sulphonate		No data available			-

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
2-butoxyethanol	EC ₀	700	<i>Pseudomonas putida</i>	Method not given	16 hour(s)
2-aminoethanol	EC ₅₀	> 1000	<i>Activated sludge</i>	DIN EN ISO 8192-OECD 209-88/302/EEC	3 hour(s)
disodium metasilicate	EC ₅₀	> 100	<i>Activated sludge</i>	Method not given	3 hour(s)
tetrasodium ethylene diamine tetraacetate	EC ₂₀	> 500	<i>Activated sludge</i>	OECD 209	0.5 hour(s)
sodium xylene sulphonate	E _r C ₅₀	> 1000	<i>Activated sludge</i>	OECD 209	3 hour(s)

Aquatic long-term toxicity

Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
2-butoxyethanol		No data available				
2-aminoethanol	NOEC	1.2	<i>Oryzias latipes</i>	OECD 210	30 day(s)	
disodium metasilicate		No data available				
tetrasodium ethylene diamine tetraacetate	NOEC	>= 36.9	<i>Brachydanio rerio</i>	OECD 210	35 day(s)	
sodium xylene sulphonate		No data available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
2-butoxyethanol		No data available				
2-aminoethanol	NOEC	0.85	<i>Daphnia magna</i>	OECD 211	21 day(s)	
disodium metasilicate		No data available				
tetrasodium ethylene diamine tetraacetate	NOEC	25	<i>Daphnia magna</i>	OECD 211	21 day(s)	
sodium xylene sulphonate		No data available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
2-butoxyethanol		No data available			-	
2-aminoethanol		No data available			-	
disodium metasilicate		No data available			-	
tetrasodium ethylene diamine tetraacetate		No data available			-	

Strip Eze

		available				
sodium xylene sulphonate		No data available			-	

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
2-butoxyethanol		No data available			-	
2-aminoethanol		No data available			-	
disodium metasilicate		No data available			-	
tetrasodium ethylene diamine tetraacetate	LD ₅₀	156	<i>Eisenia fetida</i>	OECD 207	14	
sodium xylene sulphonate		No data available			-	

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
2-butoxyethanol		No data available			-	
2-aminoethanol		No data available			-	
disodium metasilicate		No data available			-	
tetrasodium ethylene diamine tetraacetate	NOEC	0.25 - 1.25			21	
sodium xylene sulphonate		No data available			-	

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
2-butoxyethanol		No data available			-	
2-aminoethanol		No data available			-	
disodium metasilicate		No data available			-	
tetrasodium ethylene diamine tetraacetate		No data available			-	
sodium xylene sulphonate		No data available			-	

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
2-butoxyethanol		No data available			-	
2-aminoethanol		No data available			-	
disodium metasilicate		No data available			-	
tetrasodium ethylene diamine tetraacetate		No data available			-	
sodium xylene sulphonate		No data available			-	

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
2-butoxyethanol		No data available			-	
2-aminoethanol		No data available			-	
disodium metasilicate		No data available			-	
tetrasodium ethylene diamine tetraacetate		No data available			-	
sodium xylene sulphonate		No data available			-	

12.2 Persistence and degradability**Abiotic degradation**

Abiotic degradation - photodegradation in air, if available:

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

Biodegradation

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT ₅₀	Method	Evaluation
2-butoxyethanol			100 % in 28 day(s)	OECD 301B	Readily biodegradable
2-aminoethanol		DOC reduction	> 90 % in 21 day(s)	OECD 301A	Readily biodegradable
disodium metasilicate					Not applicable (inorganic substance)
tetrasodium ethylene diamine tetraacetate					Not readily biodegradable.
sodium xylene sulphonate			99.8 % in 28 day(s)	OECD 301F	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log K_{ow})

Ingredient(s)	Value	Method	Evaluation	Remark
2-butoxyethanol	0.81	OECD 107	No bioaccumulation expected	
2-aminoethanol	- 1.91	OECD 107	No bioaccumulation expected	
disodium metasilicate	No data available			
tetrasodium ethylene diamine tetraacetate	-13	Method not given	No bioaccumulation expected	
sodium xylene sulphonate	-3.12	Method not given	No bioaccumulation expected	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
2-butoxyethanol	No data available				
2-aminoethanol	No data available				
disodium metasilicate	No data available				
tetrasodium ethylene diamine tetraacetate	1.8	<i>Lepomis macrochirus</i>	Method not given	Low potential for bioaccumulation	
sodium xylene sulphonate	No data available				

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log K _{oc}	Desorption coefficient Log K _{oc} (des)	Method	Soil/sediment type	Evaluation
2-butoxyethanol	No data available				Potential for mobility in soil, soluble in water
2-aminoethanol	0.067		Model calculation		Potential for mobility in soil, soluble in water Adsorption to solid soil phase is not expected
disodium metasilicate	No data available				
tetrasodium ethylene diamine tetraacetate	No data available				Adsorption to solid soil phase is not expected
sodium xylene sulphonate	No data available				

12.5 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste from residues / unused products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

Empty packaging

Recommendation:

Suitable cleaning agents:

Dispose of observing national or local regulations.
Water, if necessary with cleaning agent.

SECTION 14: Transport information

Strip Eze

**ADG, IMO/IMDG, ICAO/IATA****14.1 UN number:** 1760**14.2 UN proper shipping name:**

Corrosive liquid, n.o.s. (ethanolamine , disodium trioxosilicate)

14.3 Transport hazard class(es):

Class: 8

Label(s): 8

14.4 Packing group: III**14.5 Environmental hazards:****14.6 Special precautions for user:** None known.**14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code:** The product is not transported in bulk tankers.**Other relevant information:****Hazchem code:** 2X

The product has been classified, labelled and packaged in accordance with the requirements of ADG and the provisions of the IMDG Code. Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	Globally Harmonised System of Classification and Labelling of Chemicals (GHS) as published by Safework Australia.
Poison schedule	Classified as a Schedule 6 (S6) Poison using the criteria in the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).
Classification	Globally Harmonised System of Classification and Labelling of Chemicals (GHS) as published by Safework Australia.
Inventory listing(s)	AICS (Australian Inventory of Chemical Substances): All components are listed on AICS, or are exempt.

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MS31000402**Version:** 01.0**Revision:** 2018-02-02**Full text of the H phrases mentioned in section 3:****Additional information:**

Respirators: In general the use of respirators should be limited and engineering controls employed to avoid exposure. If respiratory equipment must be worn ensure correct respirator selection and training is undertaken. Remember that some respirators may be extremely uncomfortable when used for long periods. The use of air powered or air supplied respirators should be considered where prolonged or repeated use is necessary.

Work practices - solvents: Organic solvents may present both a health and flammability hazard. It is recommended that engineering controls should be adopted to reduce exposure where practicable (for example, if using indoors, ensure explosion proof extraction ventilation is available). Flammable or combustible liquids with explosive limits have the potential for ignition from static discharge. Refer to AS 1020 (The control of undesirable static electricity) and AS 1940 (The storage and handling of flammable and combustible liquids) for control procedures.

Exposure standards - Time Weighted Average (TWA) or Workplace Exposure Standard (WES) (NZ): Exposure standards are established on the premise of an 8 hour work period of normal intensity, under normal climatic conditions and where a 16 hour break between shifts exists to enable the body to eliminate absorbed contaminants. In the following circumstances, exposure standards must be reduced: strenuous work conditions; hot, humid climates; high altitude conditions; extended shifts (which increase the exposure period and shorten the period of recuperation).

Personal protective equipment guidelines: The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

Health effects from exposure: It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a Safety Data Sheet which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

Abbreviations and acronyms:

- ATE - Acute Toxicity Estimate
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- LD50 - Lethal Dose, 50% / Median Lethal dose
- STOT-RE - Specific target organ toxicity (repeated exposure)
- STOT-SE - Specific target organ toxicity (single exposure)
- EC No. - European Community Number

End of Safety Data Sheet