



## TASKI WIPEOUT J-FILL

Revision: 2019-02-12

Version: 01.0

### SECTION 1: Identification of the substance/mixture and supplier

#### 1.1 Product identifier

**Product name:** TASKI WIPEOUT J-FILL

#### 1.2 Recommended use and restrictions on use

**Identified uses:**

Hard surface cleaner

**Restrictions of use:**

Uses other than those identified are not recommended

#### 1.3 Details of the supplier

Diversey Australia Pty. Limited  
29 Chifley St, Smithfield, NSW, 2164, Australia  
Telephone: 1800 647 779 (toll free)  
Fax: (02) 9725 5767  
Email: aucustserv@diversey.com  
Website: www.diversey.com/

#### 1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)  
Call 1800 033 111 (24hrs)

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Flammable liquids, Category 4  
Skin corrosion, Category 1B  
Specific target organ toxicity (single exposure), Category 3

#### 2.2 Label elements



**Signal word:** Danger

#### Hazard statements:

H227 - Combustible liquid.  
H314 - Causes severe skin burns and eye damage.  
H335 - May cause respiratory irritation.

#### Prevention statement(s):

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P233 - Keep container tightly closed.  
P260 - Do not breathe vapours.  
P264 - Wash face, hands and any exposed skin thoroughly after handling.  
P271 - Use only outdoors or in a well-ventilated area.  
P280 - Wear protective gloves, protective clothing and eye or face protection.

#### Response statement(s):

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.  
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 - Immediately call a POISON CENTRE, doctor or physician.  
P321 - Specific treatment (see supplemental first aid instructions on this label).  
P363 - Wash contaminated clothing before reuse.  
P370 + P378 - In case of fire: Use chemical powder to extinguish.

## TASKI WIPEOUT J-FILL

**Storage statement(s):**

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed.  
 P403 + P235 - Store in a well-ventilated place. Keep cool.  
 P405 - Store locked up.

**Disposal statement(s):**

P501 - Dispose of unused content as chemical waste.

**2.3 Other hazards**

No other hazards known.

**2.4 Classification diluted product:**

Recommended maximum concentration (%): 7.7

Not classified as hazardous

**SECTION 3: Composition/information on ingredients****3.1 Substances / Mixtures**

Ingredient(s)	CAS number	EC number	Weight percent
2-butoxyethanol	111-76-2	203-905-0	30-60
propane-1,2-diol	57-55-6	200-338-0	10-30
2-aminoethanol	141-43-5	205-483-3	3-10
Alcohols, C12-14, ethoxylated	68439-50-9	500-213-3	3-10
tetrapotassium ethylene diamine tetraacetate	7379-27-3	230-943-5	3-10
potassium hydroxide	1310-58-3	215-181-3	0.1-1

[4] Polymer.

Non-hazardous ingredients are the remainder and add up to 100%.

Workplace exposure limit(s), if available, are listed in subsection 8.1.

**SECTION 4: First aid measures****4.1 Description of first aid measures****General Information:**

Symptoms of intoxication may even occur after several hours. It is recommended to continue medical observation for at least 48 hours after the incident. If unconscious place in recovery position and seek medical advice. Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator.

**Inhalation:**

Remove person to fresh air and keep comfortable for breathing. Get medical attention or advice if you feel unwell.

**Skin contact:**

Take off immediately all contaminated clothing and wash it before re-use. Immediately call a POISON CENTRE, doctor or physician.

**Eye contact:**

Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or physician.

**Ingestion:**

Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Keep at rest. Immediately call a POISON CENTRE, doctor or physician.

**Self-protection of first aider:**

Consider personal protective equipment as indicated in subsection 8.2.

**First aid facilities:**

Shower and eyewash facilities should be considered in a workplace where necessary.

**4.2 Most important symptoms and effects, both acute and delayed****Inhalation:**

May cause respiratory irritation.

**Skin contact:**

Causes severe burns.

**Eye contact:**

Causes severe or permanent damage.

**Ingestion:**

Ingestion will lead to a strong caustic effect on mouth and throat and to the danger of perforation of oesophagus and stomach.

**4.3 Indication of any immediate medical attention and special treatment needed**

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

**Poison Information Center:**

Call 13 11 26 (Australia Wide).

**SECTION 5: Firefighting measures****5.1 Extinguishing media**

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

## TASKI WIPEOUT J-FILL

**5.2 Special hazards arising from the substance or mixture**

No special hazards known.

**5.3 Advice for firefighters**

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

**5.4 Hazchem code**

2X

2 - Fine water spray.

X - Liquid-tight chemical protective clothing and breathing apparatus. Contain.

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Turn off all sources of ignition. Ventilate the area. Ensure adequate ventilation. Do not breathe dust or vapour. Wear suitable protective clothing, gloves and eye/face protection.

**6.2 Environmental precautions**

Do not allow to enter drainage system, surface or ground water. Dilute with plenty of water.

**6.3 Methods and material for containment and cleaning up**

Use neutralising agent. Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust). Ensure adequate ventilation.

**6.4 Reference to other sections**

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

**SECTION 7: Handling and storage****7.1 Precautions for safe handling****Measures to prevent fire and explosions:**

Keep away from flames and hot surfaces. No smoking. Keep away from heat. Take precautionary measures against static discharges.

**Measures required to protect the environment:**

For environmental exposure controls see subsection 8.2.

**Advices on general occupational hygiene:**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Avoid contact with skin and eyes. Do not breathe vapours. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

**7.2 Conditions for safe storage, including any incompatibilities**

Store in accordance with local and national regulations. Store in a well-ventilated place. Store in a closed container. Keep only in original packaging. Keep cool. Keep away from heat and direct sunlight.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

**7.3 Specific end use(s)**

No specific advice for end use available.

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Workplace exposure limits**

Air limit values, if available:

Ingredient(s)	Long term value(s) (TWA)	Short term value(s) (STEL)	Peak value(s)
2-butoxyethanol	20 ppm 96.9 mg/m <sup>3</sup>	50 ppm 242 mg/m <sup>3</sup>	
propane-1,2-diol	150 ppm 474 mg/m <sup>3</sup> 10 mg/m <sup>3</sup>		
2-aminoethanol	3 ppm 7.5 mg/m <sup>3</sup>	6 ppm 15 mg/m <sup>3</sup>	
potassium hydroxide			2 mg/m <sup>3</sup>

Biological limit values, if available:

**8.2 Exposure controls**

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions.

## TASKI WIPEOUT J-FILL

Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Covering activities such as filling and transfer of product to application equipment, flasks or buckets

**Appropriate engineering controls:** If the product is diluted by using specific dosing systems with no risk of splashes or direct skin contact, the personal protection equipment as described in this section is not required.

**Appropriate organisational controls:** Avoid direct contact and/or splashes where possible. Train personnel.

**Personal protective equipment**

**Eye / face protection:** Safety glasses or goggles (EN 166). The use of a full-face shield or other full-face protection is strongly recommended when handling open containers or if splashes may occur.

**Hand protection:** Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact: Material: butyl rubber Penetration time:  $\geq 480$  min Material thickness:  $\geq 0.7$  mm

Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time:  $\geq 30$  min Material thickness:  $\geq 0.4$  mm

In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.

**Body protection:** Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may occur (EN 14605).

**Respiratory protection:** Respiratory protection is not normally required. However, inhalation of vapour, spray, gas or aerosols should be avoided.

**Environmental exposure controls:** Should not reach sewage water or drainage ditch undiluted or unneutralised.

Recommended safety measures for handling the diluted product:

Recommended maximum concentration (%): 7.7

**Appropriate engineering controls:** No special requirements under normal use conditions.

**Appropriate organisational controls:** No special requirements under normal use conditions.

**Personal protective equipment**

**Eye / face protection:** No special requirements under normal use conditions.

**Hand protection:** No special requirements under normal use conditions.

**Body protection:** No special requirements under normal use conditions.

**Respiratory protection:** No special requirements under normal use conditions.

**Environmental exposure controls:** No special requirements under normal use conditions.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

	Method / remark
<b>Physical State:</b> Liquid	
<b>Colour:</b> Clear, Yellow Green	
<b>Odour:</b> Perfumed	
<b>Odour threshold:</b> Not applicable	
<b>pH:</b> $\approx 14$ (neat)	ISO 4316
<b>Dilution pH:</b> $\approx 12$ (10%)	ISO 4316
<b>Melting point/freezing point (°C):</b> Not determined	Not relevant to classification of this product
<b>Initial boiling point and boiling range (°C):</b> Not determined	
<b>Flammability (liquid):</b> Combustible.	
<b>Flash point (°C):</b> Not determined	
<b>Sustained combustion:</b> Not applicable. ( UN Manual of Tests and Criteria, section 32, L.2 )	
<b>Evaporation rate:</b> Not determined	Not relevant to classification of this product
<b>Flammability (solid, gas):</b> Not applicable to liquids	
<b>Upper/lower flammability limit (%):</b> Not determined	
<b>Vapour pressure:</b> Not determined	
<b>Vapour density:</b> Not determined	Not relevant to classification of this product
<b>Relative density:</b> $\approx 1.020$ (20 °C)	OECD 109 (EU A.3)
<b>Solubility in / Miscibility with Water:</b> Fully miscible	
<b>Partition coefficient: n-octanol/water</b> No information available.	
Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3	
<b>Autoignition temperature:</b> Not determined	
<b>Decomposition temperature:</b> Not applicable.	
<b>Viscosity:</b> Not determined	
<b>Explosive properties:</b> Not explosive. Vapours may form explosive mixtures with air.	

## TASKI WIPEOUT J-FILL

**Oxidising properties:** Not oxidising

**9.2 Other information**

**Surface tension (N/m):** Not determined

**Corrosion to metals:** Not corrosive

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

### 10.2 Chemical stability

Stable under normal storage and use conditions.

### 10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

### 10.4 Conditions to avoid

None known under normal storage and use conditions.

### 10.5 Incompatible materials

Reacts with acids.

### 10.6 Hazardous decomposition products

None known under normal storage and use conditions.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Mixture data:

**Relevant calculated ATE(s):**

ATE - Oral (mg/kg): >2000

ATE - Dermal (mg/kg): >2000

ATE - Inhalatory, mists (mg/l): >5

ATE - Inhalatory, vapours (mg/l): 30

Substance data, where relevant and available, are listed below:

**Acute toxicity**

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
2-butoxyethanol	LD <sub>50</sub>	1746	Rat	Method not given	
propane-1,2-diol	LD <sub>50</sub>	> 10000	Rat	Method not given	
2-aminoethanol	LD <sub>50</sub>	1089	Rat	OECD 401 (EU B.1)	
Alcohols, C12-14, ethoxylated		No data available			
tetrapotassium ethylene diamine tetraacetate		No data available			
potassium hydroxide	LD <sub>50</sub>	333	Rat	OECD 425	

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
2-butoxyethanol	LD <sub>50</sub>	6411		Method not given	
propane-1,2-diol	LD <sub>50</sub>	> 2000	Rabbit	Method not given	
2-aminoethanol	LD <sub>50</sub>	2000	Rabbit	Method not given	
Alcohols, C12-14, ethoxylated		No data available			
tetrapotassium ethylene diamine tetraacetate		No data available			
potassium hydroxide		No data available			

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
2-butoxyethanol	LC <sub>50</sub>	> 2 (mist) No mortality observed	Rat	Method not given	4

## TASKI WIPEOUT J-FILL

propane-1,2-diol	LC <sub>50</sub>	> 317 (mist) No mortality observed	Rabbit	Non guideline test	
2-aminoethanol	LC <sub>50</sub>	No mortality observed	Rat	Method not given	4
Alcohols, C12-14, ethoxylated		No data available			
tetrapotassium ethylene diamine tetraacetate		No data available			
potassium hydroxide		No data available			

**Irritation and corrosivity**

## Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
2-butoxyethanol	Irritant	Rabbit	OECD 404 (EU B.4)	24; 48; 72 hour(s)
propane-1,2-diol	Not irritant	Rabbit	OECD 404 (EU B.4)	
2-aminoethanol	Corrosive	Rabbit	OECD 404 (EU B.4)	
Alcohols, C12-14, ethoxylated	No data available			
tetrapotassium ethylene diamine tetraacetate	No data available			
potassium hydroxide	Corrosive	Rabbit	Draize test	

## Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
2-butoxyethanol	Irritant	Rabbit	OECD 405 (EU B.5)	24; 48; 72 hour(s)
propane-1,2-diol	Not corrosive or irritant	Rabbit	OECD 405 (EU B.5)	
2-aminoethanol	Severe damage	Rabbit	OECD 405 (EU B.5)	
Alcohols, C12-14, ethoxylated	No data available			
tetrapotassium ethylene diamine tetraacetate	No data available			
potassium hydroxide	Corrosive	Rabbit	Method not given	

## Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
2-butoxyethanol	No data available			
propane-1,2-diol	No data available			
2-aminoethanol	Irritating to respiratory tract		Method not given	
Alcohols, C12-14, ethoxylated	No data available			
tetrapotassium ethylene diamine tetraacetate	No data available			
potassium hydroxide	No data available			

**Sensitisation**

## Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
2-butoxyethanol	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
propane-1,2-diol	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
2-aminoethanol	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
Alcohols, C12-14, ethoxylated	No data available			
tetrapotassium ethylene diamine tetraacetate	No data available			
potassium hydroxide	Not sensitising	Guinea pig	Method not given	

## Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
2-butoxyethanol	No data available			
propane-1,2-diol	No data available			
2-aminoethanol	No data available			
Alcohols, C12-14, ethoxylated	No data available			
tetrapotassium ethylene diamine tetraacetate	No data available			
potassium hydroxide	No data available			

**CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**

## Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
2-butoxyethanol	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13) OECD 476 (Chinese Hamster Ovary)	No evidence for mutagenicity, negative test results	OECD 474 (EU B.12)

## TASKI WIPEOUT J-FILL

propane-1,2-diol	No evidence for mutagenicity, negative test results	Method not given	No data available	
2-aminoethanol	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13) OECD 473 OECD 476 (Mouse lymphoma)	No evidence for mutagenicity, negative test results	OECD 474 (EU B.12)
Alcohols, C12-14, ethoxylated	No data available		No data available	
tetrapotassium ethylene diamine tetraacetate	No data available		No data available	
potassium hydroxide	No evidence for mutagenicity, negative test results	Method not given	No data available	

## Carcinogenicity

Ingredient(s)	Effect
2-butoxyethanol	No evidence for carcinogenicity, negative test results
propane-1,2-diol	No evidence for carcinogenicity, negative test results
2-aminoethanol	No evidence for carcinogenicity, weight-of-evidence
Alcohols, C12-14, ethoxylated	No data available
tetrapotassium ethylene diamine tetraacetate	No data available
potassium hydroxide	No evidence for carcinogenicity, negative test results

## Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
2-butoxyethanol			No data available				
propane-1,2-diol			No data available				No evidence for reproductive toxicity
2-aminoethanol	NOAEL	Developmental toxicity	> 75	Rabbit	OECD 414 (EU B.31), oral	6 - 15 day(s)	No evidence for developmental toxicity No evidence for reproductive toxicity
Alcohols, C12-14, ethoxylated			No data available				
tetrapotassium ethylene diamine tetraacetate			No data available				
potassium hydroxide			No data available				No evidence for reproductive toxicity

## Repeated dose toxicity

## Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
2-butoxyethanol		No data available				
propane-1,2-diol		No data available				
2-aminoethanol	NOAEL	300	Rat		75	
Alcohols, C12-14, ethoxylated		No data available				
tetrapotassium ethylene diamine tetraacetate		No data available				
potassium hydroxide		No data available				

## Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
2-butoxyethanol		No data available				
propane-1,2-diol		No data available				
2-aminoethanol		No data available				
Alcohols, C12-14, ethoxylated		No data available				
tetrapotassium ethylene diamine tetraacetate		No data available				
potassium hydroxide		No data available				

## Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
2-butoxyethanol		No data available				
propane-1,2-diol		No data available				
2-aminoethanol		No data available				
Alcohols, C12-14, ethoxylated		No data				

## TASKI WIPEOUT J-FILL

		available				
tetrapotassium ethylene diamine tetraacetate		No data available				
potassium hydroxide		No data available				

## Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
2-butoxyethanol			No data available					
propane-1,2-diol			No data available					
2-aminoethanol			No data available					
Alcohols, C12-14, ethoxylated			No data available					
tetrapotassium ethylene diamine tetraacetate			No data available					
potassium hydroxide			No data available					

## STOT-single exposure

Ingredient(s)	Affected organ(s)
2-butoxyethanol	No data available
propane-1,2-diol	No data available
2-aminoethanol	Respiratory tract
Alcohols, C12-14, ethoxylated	No data available
tetrapotassium ethylene diamine tetraacetate	No data available
potassium hydroxide	No data available

## STOT-repeated exposure

Ingredient(s)	Affected organ(s)
2-butoxyethanol	No data available
propane-1,2-diol	No data available
2-aminoethanol	No data available
Alcohols, C12-14, ethoxylated	No data available
tetrapotassium ethylene diamine tetraacetate	No data available
potassium hydroxide	No data available

## Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3. If relevant, see section 9 for dynamic viscosity and relative density of the product.

## Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

## SECTION 12: Ecological information

## 12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

## Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
2-butoxyethanol	LC <sub>50</sub>	> 100	<i>Oncorhynchus mykiss</i>	OECD 203, static	96
propane-1,2-diol	LC <sub>50</sub>	> 1000	<i>Fish</i>	Method not given	24
2-aminoethanol	LC <sub>50</sub>	349	<i>Cyprinus carpio</i>	OECD 203 (EU C.1)	96
Alcohols, C12-14, ethoxylated		No data available			
tetrapotassium ethylene diamine tetraacetate		No data available			
potassium hydroxide	LC <sub>50</sub>	80	<i>Various species</i>	Weight of evidence	24

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
2-butoxyethanol	EC <sub>50</sub>	> 100	<i>Daphnia magna</i> Straus	OECD 202, static	48
propane-1,2-diol	EC <sub>50</sub>	> 100	<i>Daphnia</i>	Method not given	48



## TASKI WIPEOUT J-FILL

2-aminoethanol	EC <sub>50</sub>	65	<i>Daphnia magna Straus</i>	OECD 202, static	48
Alcohols, C12-14, ethoxylated		No data available			
tetrapotassium ethylene diamine tetraacetate		No data available			
potassium hydroxide	EC <sub>50</sub>	30 - 1000	<i>Daphnia magna Straus</i>	Weight of evidence	-

## Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
2-butoxyethanol	EC <sub>50</sub>	> 100	<i>Pseudokirchneriella subcapitata</i>	OECD 201, static	72
propane-1,2-diol	EC <sub>50</sub>	24200	<i>Desmodesmus subspicatus</i>	OECD 201 (EU C.3)	72
2-aminoethanol	EC <sub>50</sub>	2.8	<i>Pseudokirchneriella subcapitata</i>	OECD 201 (EU C.3)	72
Alcohols, C12-14, ethoxylated		No data available			
tetrapotassium ethylene diamine tetraacetate		No data available			
potassium hydroxide		10		Weight of evidence	-

## Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
2-butoxyethanol		No data available			-
propane-1,2-diol		No data available			-
2-aminoethanol		No data available			-
Alcohols, C12-14, ethoxylated		No data available			
tetrapotassium ethylene diamine tetraacetate		No data available			
potassium hydroxide		No data available			-

## Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
2-butoxyethanol	EC <sub>0</sub>	700	<i>Pseudomonas putida</i>	Method not given	16 hour(s)
propane-1,2-diol	EC <sub>0</sub>	> 20000	<i>Pseudomonas putida</i>	Method not given	18 hour(s)
2-aminoethanol	EC <sub>50</sub>	> 1000	Activated sludge	DIN EN ISO 8192-OECD 209-88/302/EEC	3 hour(s)
Alcohols, C12-14, ethoxylated		No data available			
tetrapotassium ethylene diamine tetraacetate		No data available			
potassium hydroxide	EC <sub>50</sub>	22	<i>Photobacterium phosphoreum</i>	Method not given	15 minute(s)

## Aquatic long-term toxicity

## Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
2-butoxyethanol	NOEC	> 100	<i>Danio rerio</i>	OECD 204	21 day(s)	
propane-1,2-diol		No data available				
2-aminoethanol	NOEC	1.2	<i>Oryzias latipes</i>	OECD 210	30 day(s)	
Alcohols, C12-14, ethoxylated		No data available				
tetrapotassium ethylene diamine tetraacetate		No data available				
potassium hydroxide		No data available				

## Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
2-butoxyethanol	NOEC	100	<i>Daphnia magna</i>	OECD 211	21 day(s)	
propane-1,2-diol	NOEC	13020	<i>Ceriodaphnia</i>	Method not	7 day(s)	

## TASKI WIPEOUT J-FILL

			<i>dubia</i>	given		
2-aminoethanol	NOEC	0.85	<i>Daphnia magna</i>	OECD 202	21 day(s)	
Alcohols, C12-14, ethoxylated		No data available				
tetrapotassium ethylene diamine tetraacetate		No data available				
potassium hydroxide		No data available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
2-butoxyethanol		No data available			-	
propane-1,2-diol		No data available			-	
2-aminoethanol		No data available			-	
Alcohols, C12-14, ethoxylated		No data available				
tetrapotassium ethylene diamine tetraacetate		No data available				
potassium hydroxide		No data available			-	

**Terrestrial toxicity**

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
2-butoxyethanol		No data available			-	
propane-1,2-diol		No data available			-	
2-aminoethanol		No data available			-	
potassium hydroxide		No data available			-	

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
2-butoxyethanol		No data available			-	
propane-1,2-diol		No data available			-	
2-aminoethanol		No data available			-	
potassium hydroxide		No data available			-	

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
2-butoxyethanol		No data available			-	
propane-1,2-diol		No data available			-	
2-aminoethanol		No data available			-	
potassium hydroxide		No data available			-	

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
2-butoxyethanol		No data available			-	
propane-1,2-diol		No data available			-	
2-aminoethanol		No data available			-	
potassium hydroxide		No data available			-	

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Effects observed
---------------	----------	-------	---------	--------	----------	------------------

## TASKI WIPEOUT J-FILL

		(mg/kg dw soil)			time (days)	
2-butoxyethanol		No data available			-	
propane-1,2-diol		No data available			-	
2-aminoethanol		No data available			-	
potassium hydroxide		No data available			-	

**12.2 Persistence and degradability****Abiotic degradation**

Abiotic degradation - photodegradation in air, if available:

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

**Biodegradation**

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT <sub>50</sub>	Method	Evaluation
2-butoxyethanol		CO <sub>2</sub> production	90.4 % in 28 day(s)	OECD 301B	Readily biodegradable
propane-1,2-diol			> 70 % in 28 day(s)	OECD 301A	Readily biodegradable
2-aminoethanol		DOC reduction	> 90 % in 21 day(s)	OECD 301A	Readily biodegradable
Alcohols, C12-14, ethoxylated				OECD 301F	Readily biodegradable
tetrapotassium ethylene diamine tetraacetate					No data available
potassium hydroxide					Not applicable (inorganic substance)

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

**12.3 Bioaccumulative potential**

Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
2-butoxyethanol	0.81	OECD 107	Low potential for bioaccumulation	
propane-1,2-diol	-1.07	Method not given	No bioaccumulation expected	
2-aminoethanol	- 1.91	OECD 107	No bioaccumulation expected	
Alcohols, C12-14, ethoxylated	No data available			
tetrapotassium ethylene diamine tetraacetate	No data available			
potassium hydroxide	No data available		Not relevant, does not bioaccumulate	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
2-butoxyethanol	No data available				
propane-1,2-diol	No data available				
2-aminoethanol	No data available				
Alcohols, C12-14, ethoxylated	No data available				
tetrapotassium ethylene diamine tetraacetate	No data available				
potassium hydroxide	No data available				

**12.4 Mobility in soil**

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log K <sub>oc</sub>	Desorption coefficient Log K <sub>oc</sub> (des)	Method	Soil/sediment type	Evaluation
2-butoxyethanol	No data available				Potential for mobility in soil, soluble in water
propane-1,2-diol	No data available				Potential for mobility in soil, soluble in water
2-aminoethanol	0.067		Model calculation		Potential for mobility in soil, soluble in water Adsorption to solid soil phase is not expected
Alcohols, C12-14, ethoxylated	No data available				
tetrapotassium ethylene diamine tetraacetate	No data available				
potassium hydroxide	No data available				Low potential for adsorption

## TASKI WIPEOUT J-FILL

					to soil
--	--	--	--	--	---------

**12.5 Other adverse effects**  
No other adverse effects known.

### SECTION 13: Disposal considerations


**13.1 Waste treatment methods**  
**Waste from residues / unused products:**

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

**Empty packaging**  
**Recommendation:**  
**Suitable cleaning agents:**

Dispose of observing national or local regulations.  
Water, if necessary with cleaning agent.

### SECTION 14: Transport information



**ADG, IMO/IMDG, ICAO/IATA**

**14.1 UN number:** 1760

**14.2 UN proper shipping name:**

Corrosive liquid, n.o.s. ( potassium hydroxide , ethanolamine )

**14.3 Transport hazard class(es):**

Transport hazard class (and subsidiary risks): 8

**14.4 Packing group:** III

**14.5 Environmental hazards:**

Environmentally hazardous: No

Marine pollutant: No

**14.6 Special precautions for user:** None known.

**14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code:** The product is not transported in bulk tankers.

**Other relevant information:**

**Hazchem code:** 2X

The product has been classified, labelled and packaged in accordance with the requirements of ADG7.5 Code and the provisions of the IMDG Code.

Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

### SECTION 15: Regulatory information

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

**National regulations**

Globally Harmonised System of Classification and Labelling of Chemicals (GHS) as published by Safework Australia.

**Poison schedule**

Classified as a Schedule 5 (S5) Poison using the criteria in the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

**Classification**

Globally Harmonised System of Classification and Labelling of Chemicals (GHS) as published by Safework Australia.

**Inventory listing(s)**

AICS (Australian Inventory of Chemical Substances): All components are listed on AICS, or are exempt.

### SECTION 16: Other information

*The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract*

**SDS code:** MS31000930

**Version:** 01.0

**Revision:** 2019-02-12

**Additional information:**

**Respirators:** In general the use of respirators should be limited and engineering controls employed to avoid exposure. If respiratory equipment must be worn ensure correct respirator selection and training is undertaken. Remember that some respirators may be extremely uncomfortable when used for long periods. The use of air powered or air supplied respirators should be considered where prolonged or repeated use is necessary.

**TASKI WIPEOUT J-FILL**

**Work practices - solvents:** Organic solvents may present both a health and flammability hazard. It is recommended that engineering controls should be adopted to reduce exposure where practicable (for example, if using indoors, ensure explosion proof extraction ventilation is available). Flammable or combustible liquids with explosive limits have the potential for ignition from static discharge. Refer to AS 1020 (The control of undesirable static electricity) and AS 1940 (The storage and handling of flammable and combustible liquids) for control procedures.

**Exposure standards - Time Weighted Average (TWA) or Workplace Exposure Standard (WES) (NZ):** Exposure standards are established on the premise of an 8 hour work period of normal intensity, under normal climatic conditions and where a 16 hour break between shifts exists to enable the body to eliminate absorbed contaminants. In the following circumstances, exposure standards must be reduced: strenuous work conditions; hot, humid climates; high altitude conditions; extended shifts (which increase the exposure period and shorten the period of recuperation).

**Personal protective equipment guidelines:** The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

**Health effects from exposure:** It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a Safety Data Sheet which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

**Abbreviations and acronyms:**

- DNEL - Derived No Effect Limit
- AUH - GHS Specific hazard statement
- PNEC - Predicted No Effect Concentration
- ATE - Acute Toxicity Estimate
- LD50 - Lethal Dose, 50% / Median Lethal dose
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- EC50 - effective concentration, 50%
- NOEL - No observed effect level
- NOAEL - No observed adverse effect level
- STOT-RE - Specific target organ toxicity (repeated exposure)
- STOT-SE - Specific target organ toxicity (single exposure)
- EC No. - European Community Number
- OECD - Organization for Economic Cooperation and Development

**End of Safety Data Sheet**