



VIREX II J-FILL

Revision: 2018-11-18

Version: 01.0

SECTION 1: Identification of the substance/mixture and supplier

1.1 Product identifier

Product name: VIREX II J-FILL

Virex® Used under authority from S.C. Johnson & Son Inc., Racine, Wisconsin, U.S.A.

1.2 Recommended use and restrictions on use

Identified uses:

Hospital grade disinfectant, cleaner and deodorant

Restrictions of use:

Uses other than those identified are not recommended

1.3 Details of the supplier

Diversey Australia Pty. Limited

29 Chifley St, Smithfield, NSW, 2164, Australia

Telephone: 1800 647 779 (toll free)

Fax: (02) 9725 5767

Email: aucustserv@diversey.com

Website: www.diversey.com/

1.4 Emergency telephone number

Call 1800 033 111 (24hrs)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Flammable liquids, Category 4

Skin corrosion, Category 1B

Acute toxicity, oral, Category 4

2.2 Label elements



Signal word: Danger

Hazard statements:

H227 - Combustible liquid.

H314 - Causes severe skin burns and eye damage.

H302 - Harmful if swallowed.

Prevention statement(s):

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P234 - Keep only in original packaging.

P264 - Wash face, hands and any exposed skin thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P280 - Wear protective gloves, protective clothing and eye or face protection.

Response statement(s):

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P301 + P312 - IF SWALLOWED: Call a POISON CENTRE, doctor or physician if you feel unwell.

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P310 - Immediately call a POISON CENTRE, doctor or physician.

P321 - Specific treatment (see supplemental first aid instructions on this label).

P370 + P378 - In case of fire: Use chemical powder to extinguish.

VIREX II J-FILL

Storage statement(s):

P405 - Store locked up.
P403 + P235 - Store in a well-ventilated place. Keep cool.

Disposal statement(s):

P501 - Dispose of unused content as chemical waste.

2.3 Other hazards

No other hazards known.

2.4 Classification diluted product:

Recommended maximum concentration (%): 0.4

Not classified as hazardous

SECTION 3: Composition/information on ingredients**3.1 Substances / Mixtures**

Ingredient(s)	CAS number	EC number	Weight percent
didecyldimethylammonium chloride	7173-51-5	230-525-2	3-10
alkyldimethylbenzylammoniumchloride	68424-85-1	270-325-2	3-10
ethanol	64-17-5	200-578-6	3-10
tetrasodium ethylene diamine tetraacetate	64-02-8	200-573-9	1-3

Non-hazardous ingredients are the remainder and add up to 100%.

Workplace exposure limit(s), if available, are listed in subsection 8.1.

SECTION 4: First aid measures**4.1 Description of first aid measures****General Information:**

Symptoms of intoxication may even occur after several hours. It is recommended to continue medical observation for at least 48 hours after the incident. If unconscious place in recovery position and seek medical advice. Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator. Remove person to fresh air and keep comfortable for breathing. Get medical attention or advice if you feel unwell.

Inhalation:**Skin contact:**

Wash skin with plenty of lukewarm, gently flowing water. Take off immediately all contaminated clothing and wash it before re-use. Immediately call a POISON CENTRE, doctor or physician. If skin irritation occurs: Get medical advice or attention.

Eye contact:

Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or physician. If irritation occurs and persists, get medical attention.

Ingestion:

Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Keep at rest. Immediately call a POISON CENTRE, doctor or physician. Get medical attention or advice if you feel unwell.

Self-protection of first aider:

Consider personal protective equipment as indicated in subsection 8.2.

First aid facilities:

Shower and eyewash facilities should be considered in a workplace where necessary.

4.2 Most important symptoms and effects, both acute and delayed**Inhalation:**

No known effects or symptoms in normal use.

Skin contact:

Causes severe burns. No known effects or symptoms in normal use.

Eye contact:

Causes severe or permanent damage. No known effects or symptoms in normal use.

Ingestion:

Ingestion will lead to a strong caustic effect on mouth and throat and to the danger of perforation of oesophagus and stomach. No known effects or symptoms in normal use.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

Poison Information Center:

Call 13 11 26 (Australia Wide).

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

VIREX II J-FILL

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

5.4 Hazchem code

None allocated 2X

2 - Fine water spray.

X - Liquid-tight chemical protective clothing and breathing apparatus. Contain.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Wear suitable protective clothing, gloves and eye/face protection.

6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water. Dilute with plenty of water.

6.3 Methods and material for containment and cleaning up

Use neutralising agent. Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust).

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage**7.1 Precautions for safe handling****Measures to prevent fire and explosions:**

No special precautions required.

Measures to prevent aerosol and dust generation:

Avoid formation of aerosol.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash hands before breaks and at the end of workday. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Avoid contact with skin and eyes. Do not breathe spray. Do not eat, drink or smoke when using this product. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. Keep from freezing. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Workplace exposure limits**

Air limit values, if available:

Ingredient(s)	Long term value(s) (TWA)	Short term value(s) (STEL)	Peak value(s)
ethanol	1000 ppm 1880 mg/m ³		

Biological limit values, if available:

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Covering activities such as filling and transfer of product to application equipment, flasks or buckets

Appropriate engineering controls: If the product is diluted by using specific dosing systems with no risk of splashes or direct skin

VIREX II J-FILL

Appropriate organisational controls:	contact, the personal protection equipment as described in this section is not required. Avoid direct contact and/or splashes where possible. Train personnel.
Personal protective equipment	
Eye / face protection:	Safety glasses or goggles (EN 166). The use of a full-face shield or other full-face protection is strongly recommended when handling open containers or if splashes may occur.
Hand protection:	Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature. Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material thickness: ≥ 0.7 mm Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min Material thickness: ≥ 0.4 mm In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.
Body protection:	Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may occur (EN 14605).
Respiratory protection:	Respiratory protection is not normally required. However, inhalation of vapour, spray, gas or aerosols should be avoided.
Environmental exposure controls:	Should not reach sewage water or drainage ditch undiluted or unneutralised.

Recommended safety measures for handling the diluted product:

Recommended maximum concentration (%): 0.4

Appropriate engineering controls:	Use only in well ventilated areas.
Appropriate organisational controls:	No special requirements under normal use conditions.
Personal protective equipment	
Eye / face protection:	No special requirements under normal use conditions.
Hand protection:	No special requirements under normal use conditions.
Body protection:	No special requirements under normal use conditions.
Respiratory protection:	No special requirements under normal use conditions.
Environmental exposure controls:	No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

	Method / remark
Physical State: Liquid	
Colour: Clear, Blue	
Odour: Product specific Slightly perfumed	
Odour threshold: Not applicable	
pH: ≈ 10.2 (neat)	ISO 4316
Dilution pH: ≈ 9 (1%)	ISO 4316
Melting point/freezing point (°C): Not determined	Not relevant to classification of this product
Initial boiling point and boiling range (°C): Not determined	
Flammability (liquid): Not flammable.	
Flash point (°C): ≈ 86.1	closed cup
Sustained combustion: The product does not sustain combustion (UN Manual of Tests and Criteria, section 32, L.2)	
Evaporation rate: Not determined	Not relevant to classification of this product
Flammability (solid, gas): Not applicable to liquids	
Upper/lower flammability limit (%): Not determined	
Vapour pressure: Not determined	
Vapour density: Not determined	Not relevant to classification of this product
Relative density: ≈ 1.00 (20 °C)	OECD 109 (EU A.3)
Solubility in / Miscibility with Water: Fully miscible Not miscible or difficult to mix	
Partition coefficient: n-octanol/water No information available.	
Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3	
Autoignition temperature: Not determined	
Decomposition temperature: Not applicable.	
Viscosity: Not determined	
Explosive properties: Not explosive. Vapours may form explosive mixtures with air.	
Oxidising properties: Not oxidising	

9.2 Other information

Surface tension (N/m): Not determined	
Corrosion to metals: Not corrosive Corrosive	Weight of evidence

VIREX II J-FILL

SECTION 10: Stability and reactivity**10.1 Reactivity**

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

Reacts with acids.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information**11.1 Information on toxicological effects**

Mixture data:

Relevant calculated ATE(s):

ATE - Oral (mg/kg): 1600

ATE - Dermal (mg/kg): >2000

ATE - Inhalatory, mists (mg/l): >5

Substance data, where relevant and available, are listed below:

Acute toxicity

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
didecyldimethylammonium chloride	LD ₅₀	238	Rat	Method not given	
alkyldimethylbenzylammoniumchloride	LD ₅₀	398	Rat		
ethanol	LD ₅₀	5000	Rat	OECD 401 (EU B.1)	
tetrasodium ethylene diamine tetraacetate	LD ₅₀	≥ 1780	Rat	Non guideline test	

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
didecyldimethylammonium chloride		No data available			
alkyldimethylbenzylammoniumchloride	LD ₅₀	3412	Rabbit	Method not given	
ethanol	LD ₅₀	> 10000	Rabbit	OECD 402 (EU B.3)	
tetrasodium ethylene diamine tetraacetate	LD ₅₀	> 5000	Rabbit	Method not given	

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
didecyldimethylammonium chloride		No data available			
alkyldimethylbenzylammoniumchloride		No data available			
ethanol	LC ₅₀	> 1800	Rat	Non guideline test	4
tetrasodium ethylene diamine tetraacetate	LC ₅₀	≥ 1 (dust)	Rat	OECD 403 (EU B.2)	6

Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
didecyldimethylammonium chloride	Corrosive	Rabbit	OECD 404 (EU B.4)	
alkyldimethylbenzylammoniumchloride	Corrosive	Rabbit	Method not given	
ethanol	No data available			
tetrasodium ethylene diamine tetraacetate	Not irritant	Rabbit	Non guideline test	

Eye irritation and corrosivity

VIREX II J-FILL

Ingredient(s)	Result	Species	Method	Exposure time
didecyldimethylammonium chloride	No data available			
alkyldimethylbenzylammoniumchloride	Severe damage		Method not given	
ethanol	No data available			
tetrasodium ethylene diamine tetraacetate	Severe damage		Method not given	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
didecyldimethylammonium chloride	No data available			
alkyldimethylbenzylammoniumchloride	No data available			
ethanol	No data available			
tetrasodium ethylene diamine tetraacetate	No data available			

Sensitisation

Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
didecyldimethylammonium chloride	Not sensitising	Guinea pig	OECD 406 (EU B.6) / Buehler test	
alkyldimethylbenzylammoniumchloride	Not sensitising	Guinea pig	OECD 406 (EU B.6) / Buehler test	
ethanol	No data available			
tetrasodium ethylene diamine tetraacetate	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
didecyldimethylammonium chloride	No data available			
alkyldimethylbenzylammoniumchloride	No data available			
ethanol	No data available			
tetrasodium ethylene diamine tetraacetate	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
didecyldimethylammonium chloride	No evidence of genotoxicity, negative test results	OECD 471 (EU B.12/13) OECD 473 OECD 476	No data available	
alkyldimethylbenzylammoniumchloride	No evidence of genotoxicity, negative test results	OECD 471 (EU B.12/13) OECD 476 OECD 473	No evidence of genotoxicity, negative test results	OECD 474 (EU B.12)
ethanol	No data available		No data available	
tetrasodium ethylene diamine tetraacetate	No evidence for mutagenicity, negative test results	Method not given	No evidence of genotoxicity, negative test results	Method not given

Carcinogenicity

Ingredient(s)	Effect
didecyldimethylammonium chloride	No data available
alkyldimethylbenzylammoniumchloride	No data available
ethanol	No data available
tetrasodium ethylene diamine tetraacetate	No evidence for carcinogenicity, weight-of-evidence

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
didecyldimethylammonium chloride			No data available				
alkyldimethylbenzylammoniumchloride			No data available				
ethanol			No data available				
tetrasodium ethylene diamine tetraacetate			No data available				No evidence for reproductive toxicity

Repeated dose toxicity

Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
didecyldimethylammonium chloride		No data available				
alkyldimethylbenzylammoniumchloride		No data available				
ethanol		No data available				
tetrasodium ethylene diamine tetraacetate		No data available				

VIREX II J-FILL

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
didecyldimethylammonium chloride		No data available				
alkyldimethylbenzylammoniumchloride		No data available				
ethanol		No data available				
tetrasodium ethylene diamine tetraacetate		No data available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
didecyldimethylammonium chloride		No data available				
alkyldimethylbenzylammoniumchloride		No data available				
ethanol		No data available				
tetrasodium ethylene diamine tetraacetate		No data available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
didecyldimethylammonium chloride			No data available					
alkyldimethylbenzylammoniumchloride			No data available					
ethanol			No data available					
tetrasodium ethylene diamine tetraacetate			No data available					

STOT-single exposure

Ingredient(s)	Affected organ(s)
didecyldimethylammonium chloride	No data available
alkyldimethylbenzylammoniumchloride	No data available
ethanol	No data available
tetrasodium ethylene diamine tetraacetate	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
didecyldimethylammonium chloride	No data available
alkyldimethylbenzylammoniumchloride	No data available
ethanol	No data available
tetrasodium ethylene diamine tetraacetate	Respiratory tract

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3. If relevant, see section 9 for dynamic viscosity and relative density of the product.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
didecyldimethylammonium chloride	LC ₅₀	0.97	<i>Brachydanio rerio</i>	OECD 203 (EU C.1)	96
alkyldimethylbenzylammoniumchloride	LC ₅₀	0.515	<i>Fish</i>	Method not given	96
ethanol	LC ₅₀	8150	<i>Alburnus alburnus</i>	Method not given	96
tetrasodium ethylene diamine tetraacetate	LC ₅₀	> 100	<i>Lepomis macrochirus</i>	OPP 72-1, static (EPA)	96

VIREX II J-FILL

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
didecyltrimethylammonium chloride	EC ₅₀	0.053	<i>Daphnia magna Straus</i>	OECD 202 (EU C.2)	48
alkyldimethylbenzylammoniumchloride	EC ₅₀	0.016	<i>Daphnia</i>	Method not given	48
ethanol	EC ₅₀	9268 - 14221	<i>Daphnia magna Straus</i>	Method not given	48
tetrasodium ethylene diamine tetraacetate	EC ₅₀	> 100	<i>Daphnia magna Straus</i>	DIN 38412, Part 11	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
didecyltrimethylammonium chloride	EC ₅₀	0.053	<i>Pseudokirchneriella subcapitata</i>	OECD 201 (EU C.3)	72
alkyldimethylbenzylammoniumchloride	EC ₅₀	0.02	<i>Selenastrum capricornutum</i>	OECD 201 (EU C.3)	72
ethanol	EC ₀	5000	<i>Scenedesmus quadricauda</i>	Method not given	168
tetrasodium ethylene diamine tetraacetate	EC ₅₀	> 100	<i>Scenedesmus obliquus</i>	88/302/EEC, Part C, static	72

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
didecyltrimethylammonium chloride		No data available			-
alkyldimethylbenzylammoniumchloride		No data available			-
ethanol		No data available			-
tetrasodium ethylene diamine tetraacetate		No data available			-

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
didecyltrimethylammonium chloride		No data available			
alkyldimethylbenzylammoniumchloride	EC ₂₀	5	<i>Activated sludge</i>	OECD 209	0.5 hour(s)
ethanol	EC ₀	6500	<i>Pseudomonas putida</i>	Method not given	16 hour(s)
tetrasodium ethylene diamine tetraacetate	EC ₂₀	> 500	<i>Activated sludge</i>	OECD 209	0.5 hour(s)

Aquatic long-term toxicity

Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
didecyltrimethylammonium chloride		No data available				
alkyldimethylbenzylammoniumchloride		No data available				
ethanol		No data available				
tetrasodium ethylene diamine tetraacetate	NOEC	≥ 36.9	<i>Brachydanio rerio</i>	OECD 210	35 day(s)	

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
didecyltrimethylammonium chloride	NOEC	> 0.01-0.1	<i>Daphnia magna</i>	OECD 211	21 day(s)	
alkyldimethylbenzylammoniumchloride	NOEC	0.025	<i>Daphnia magna</i>	OECD 211	21 day(s)	
ethanol		No data available				
tetrasodium ethylene diamine tetraacetate	NOEC	25	<i>Daphnia magna</i>	OECD 211	21 day(s)	

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
didecyltrimethylammonium chloride		No data available			-	
alkyldimethylbenzylammoniumchloride		No data available			-	

VIREX II J-FILL

		available				
ethanol		No data available			-	
tetrasodium ethylene diamine tetraacetate		No data available			-	

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
didecyltrimethylammonium chloride		No data available			-	
alkyldimethylbenzylammoniumchloride		No data available			-	
ethanol		No data available			-	
tetrasodium ethylene diamine tetraacetate	LD ₅₀	156	<i>Eisenia fetida</i>	OECD 207	14	

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
didecyltrimethylammonium chloride		No data available			-	
alkyldimethylbenzylammoniumchloride		No data available			-	
ethanol		No data available			-	
tetrasodium ethylene diamine tetraacetate	NOEC	0.25 - 1.25			21	

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
didecyltrimethylammonium chloride		No data available			-	
alkyldimethylbenzylammoniumchloride		No data available			-	
ethanol		No data available			-	
tetrasodium ethylene diamine tetraacetate		No data available			-	

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
didecyltrimethylammonium chloride		No data available			-	
alkyldimethylbenzylammoniumchloride		No data available			-	
ethanol		No data available			-	
tetrasodium ethylene diamine tetraacetate		No data available			-	

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
didecyltrimethylammonium chloride		No data available			-	
alkyldimethylbenzylammoniumchloride		No data available			-	
ethanol		No data available			-	
tetrasodium ethylene diamine tetraacetate		No data available			-	

12.2 Persistence and degradability**Abiotic degradation**

Abiotic degradation - photodegradation in air, if available:

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

Biodegradation

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical	DT ₅₀	Method	Evaluation
---------------	----------	------------	------------------	--------	------------

VIREX II J-FILL

	method			
didecyldimethylammonium chloride	Oxygen depletion	> 60%	OECD 301D	Readily biodegradable
alkyldimethylbenzylammoniumchloride	Oxygen depletion	> 60%	Read across	Readily biodegradable
ethanol			OECD 301B	Readily biodegradable
tetrasodium ethylene diamine tetraacetate				Not readily biodegradable.

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
didecyldimethylammonium chloride	No data available			
alkyldimethylbenzylammoniumchloride	2.88	OECD 107	No bioaccumulation expected	
ethanol	-0.35	Weight of evidence		
tetrasodium ethylene diamine tetraacetate	-13	Method not given	No bioaccumulation expected	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
didecyldimethylammonium chloride	2.1		Method not given	No bioaccumulation expected	
alkyldimethylbenzylammoniumchloride	0.5		Method not given	No bioaccumulation expected	
ethanol	No data available				
tetrasodium ethylene diamine tetraacetate	1.8	<i>Lepomis macrochirus</i>	Method not given	Low potential for bioaccumulation	

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
didecyldimethylammonium chloride	No data available				
alkyldimethylbenzylammoniumchloride	No data available				
ethanol	No data available				
tetrasodium ethylene diamine tetraacetate	No data available				Adsorption to solid soil phase is not expected

12.5 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste from residues / unused products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

Empty packaging


Recommendation:

Suitable cleaning agents:

Dispose of observing national or local regulations.

Water, if necessary with cleaning agent.

SECTION 14: Transport information



ADG, IMO/IMDG, ICAO/IATA

14.1 UN number: 1903

14.2 UN proper shipping name:

Disinfectant, liquid, corrosive, n.o.s. (quaternary ammonium compounds)

14.3 Transport hazard class(es):

Transport hazard class (and subsidiary risks): 8

14.4 Packing group: III

14.5 Environmental hazards:

Environmentally hazardous: Yes

Marine pollutant: Yes

VIREX II J-FILL

14.6 Special precautions for user: None known.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: The product is not transported in bulk tankers.

Other relevant information:

Hazchem code: None allocated
2X

The product has been classified, labelled and packaged in accordance with the requirements of ADG and the provisions of the IMDG Code. Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	Globally Harmonised System of Classification and Labelling of Chemicals (GHS) as published by Safework Australia.
Poison schedule	Classified as a Schedule 5 (S5) Poison using the criteria in the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).
Classification	Globally Harmonised System of Classification and Labelling of Chemicals (GHS) as published by Safework Australia.
Inventory listing(s)	AICS (Australian Inventory of Chemical Substances): All components are listed on AICS, or are exempt.

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MS31000564

Version: 01.0

Revision: 2018-11-18

Additional information:

Respirators: In general the use of respirators should be limited and engineering controls employed to avoid exposure. If respiratory equipment must be worn ensure correct respirator selection and training is undertaken. Remember that some respirators may be extremely uncomfortable when used for long periods. The use of air powered or air supplied respirators should be considered where prolonged or repeated use is necessary.

Work practices - solvents: Organic solvents may present both a health and flammability hazard. It is recommended that engineering controls should be adopted to reduce exposure where practicable (for example, if using indoors, ensure explosion proof extraction ventilation is available). Flammable or combustible liquids with explosive limits have the potential for ignition from static discharge. Refer to AS 1020 (The control of undesirable static electricity) and AS 1940 (The storage and handling of flammable and combustible liquids) for control procedures.

Exposure standards - Time Weighted Average (TWA) or Workplace Exposure Standard (WES) (NZ): Exposure standards are established on the premise of an 8 hour work period of normal intensity, under normal climatic conditions and where a 16 hour break between shifts exists to enable the body to eliminate absorbed contaminants. In the following circumstances, exposure standards must be reduced: strenuous work conditions; hot, humid climates; high altitude conditions; extended shifts (which increase the exposure period and shorten the period of recuperation).

Personal protective equipment guidelines: The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

Health effects from exposure: It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a Safety Data Sheet which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

Abbreviations and acronyms:

- DNEL - Derived No Effect Limit
- AUH - GHS Specific hazard statement
- PNEC - Predicted No Effect Concentration
- ATE - Acute Toxicity Estimate
- LD50 - Lethal Dose, 50% / Median Lethal dose
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- EC50 - effective concentration, 50%
- NOEL - No observed effect level
- NOAEL - No observed adverse effect level
- STOT-RE - Specific target organ toxicity (repeated exposure)
- STOT-SE - Specific target organ toxicity (single exposure)
- EC No. - European Community Number
- OECD - Organization for Economic Cooperation and Development

End of Safety Data Sheet